



Rec'd PCT/PTO 10 JUL 2002

SEQUENCE LISTING

<110> GARM, Michael J.
STETSENKO, Dmitry

<120> METHOD FOR COUPLING MOLECULES

<130> 2224/OK248

<140> US 10/070,222

<141> 2002-02-27

<150> PCT/GB00/03306

<151> 1999-08-27

<160> 25

<170> PatentIn version 3.1

<210> 1

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide N-terminal S-benzyl thioesters

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> where X is BnSCO

<220>

<221> MISC_FEATURE

<222> (19)..(19)

<223> where X is CONH2

<400> 1

Xaa Arg Gln Ile Pro Lys Ile Trp Phe Pro Asn Arg Arg Lys Pro Phe
1 5 10 15

Lys Lys Xaa

<210> 2

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> where X is CONH2

<400> 2

Xaa Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Xaa
1 5 10

<210> 3
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> where X is CONH2

<400> 3

Xaa Pro Thr Ser Gln Ser Arg Gly Asp Pro Thr Gly Pro Lys Glu Xaa
1 5 10 15

<210> 4
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>
<221> MISC_FEATURE
<222> (26)..(26)
<223> where X is CONH2

<400> 4

Xaa Asp Arg Val Ile Glu Val Val Gln Gly Ala Tyr Arg Ala Ile Arg
1 5 10 15

Asn Ile Pro Arg Arg Ile Arg Gln Gly Xaa
20 25

<210> 5
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> where X is CONH2

<400> 5

Xaa Gln Ala Lys Lys Lys Lys Leu Asp Lys Xaa
1 5 10

<210> 6
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> where X is CONH2

<400> 6

Xaa Ala Leu Pro Pro Leu Glu Arg Leu Thr Leu Xaa
1 5 10

<210> 7
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>
<221> MISC_FEATURE
<222> (29)..(29)
<223> where X is CONH2

<400> 7

Xaa Gly Ala Leu Phe Leu Gly Phe Leu Gly Ala Ala Gly Ser Thr Met
1 5 10 15

Gly Ala Trp Ser Gln Pro Lys Ser Lys Arg Lys Val Xaa
20 25

<210> 8
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> where X is sarcosine

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> where X is CONH2

<400> 8

Xaa Xaa Leu Gly Ile Gly Xaa
1 5

<210> 9
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide N-terminal S-benzyl thioesters

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> where X is BnSCO

<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> where X is CONH2

<400> 9

Xaa Pro Gln Ile Lys Ile Trp Phe Pro Asn Arg Arg Lys Pro Phe Lys
1 5 10 15

Lys Xaa

<210> 10
<211> 6
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteinyI oligonucleotide

<220>
<221> misc_feature

<222> (1)..(6)
<223> where n is Cys(SBut)

<400> 10
nttttt

6

<210> 11
<211> 6
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(6)
<223> where n is Cys(Trt)

<400> 11
nttttt

6

<210> 12
<211> 6
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(6)
<223> where n is Cys

<400> 12
nttttt

6

<210> 13
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(16)
<223> where n is Cys(SBut)

<400> 13
nctcccaggc tcaaat

16

<210> 14
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(16)
<223> where n is Cys(SBut)

<400> 14
ngtccccacg ctcaaa

16

<210> 15
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(16)
<223> where n is Cys(Trt)

<400> 15
nctcccaggc tcaaat

16

<210> 16
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(16)
<223> where n is Cys(Trt)

<400> 16
ngtccccagg ctcaaa

16

<210> 17
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(16)
<223> where n is Cys(Trt)

<400> 17
nagctcccag gctcaa

16

<210> 18
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(13)
<223> where n is Cys(SBut)

<400> 18
nagctcccag gct

13

<210> 19
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> 5'-cysteiny l oligonucleotide

<220>
<221> misc_feature
<222> (1)..(16)
<223> where n is Cys

<400> 19
ngctcccagg ctcaaa

16

<210> 20

<211> 5
<212> DNA
<213> Artificial Sequence

<220>
<223> oligonucleotide

<400> 20
ttttt

5

<210> 21
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> oligopeptide

<400> 21

Pro Thr Ser Gln Ser Arg Gly Asp Pro Thr Gly Pro Pro Lys Glu
1 5 10 15

<210> 22
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> oligonucleotide

<400> 22
gctccaggct caaa

14

<210> 23
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> oligopeptide

<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> where X is sarcosine

<400> 23

Xaa Leu Gly Ile Gly
1 5

<210> 24
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> oligopeptide

<400> 24

Ala	Leu	Pro	Pro	Leu	Glu	Arg	Leu	Thr	Leu
1				5					10

<210> 25
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> oligonucleotide

<400> 25
agctcccagg ctcaa

